



# Tork Premium Toilet Paper Roll 200



## voordeel

- Traditionele rollen toiletpapier
- Zacht
- Absorberend
- Wit



24.8 m



9.7 cm



2



## producteigenschappen

artikel	systeem	Rollengte	Rolbreedte	Roldiameter	Aantal vellen	Vellengte	Lagen	Print	Kleur
12291	T4 - Standaard toilet systeem	24.8 m	9.7 cm	10.2 cm	198	12.5 cm	2	nee	Wit



# Tork Premium Toilet Paper Roll 200

## verzendgegevens

### consumentenunit

EAN	7310791091273
stuks	4
materiaal	Plastic
hoogte	194 mm
breedte	100 mm
lengte	200 mm
volume	3.9 dm <sup>3</sup>
nettogewicht	303 g
brutogewicht	338 g

### pallet

EAN	7322540274288
stuks	1920
consumentenunits	480
hoogte	2090 mm
breedte	800 mm
lengte	1200 mm
volume	1.9 dm <sup>3</sup>
nettogewicht	145.65 kg
brutogewicht	162.20 kg

### transportunit

EAN	7310791091280
stuks	48
consumentenunits	12
materiaal	Plastic
hoogte	194 mm
breedte	400 mm
lengte	600 mm
volume	46.6 dm <sup>3</sup>
nettogewicht	3.64 kg
brutogewicht	4.06 kg



# Tork Premium Toilet Paper Roll 200

---

## **milieu**

### **Content**

The fibre composition in the product is virgin

### **Material**

Virgin fibre Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are: Dry strength agent Dye = if coloured Fixing agents Fluorescent whitening agent Glue = if used The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product does not have an ecolabel

Date of issue 2010-03-05

Revision date

### **Production**

This product is produced in Stembert mill, certified according to ISO 9001 and ISO 14001.

### **Destruction**

This product is suitable to be taken care of in the normal sewage system of the community.